



REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>K7 Demo Case</b>		
8100	K7 Demo Case	499,00
<b>K7 Fixtures</b>		
8101	K7 Twist 2700K (Black Housing) CRI +95 Box contains 6 pcs. magnetic K7 with 2,5 meter cable bareends, narrow optics, honeycombes, o-rings, and angle bracket.	405,00
8102	K7 Twist 3000K (Black Housing) CRI +95 Box contains 6 pcs. magnetic K7 with 2,5 meter cable bareends, narrow optics, honeycombes, o-rings, and angle bracket.	405,00
8103	K7 Twist 4000K (Black Housing) CRI +95 Box contains 6 pcs. magnetic K7 with 2,5 meter cable bareends, narrow optics, honeycombes, o-rings, and angle bracket.	405,00
8106	K7 Twist 2700K (White Housing) CRI +95 Box contains 6 pcs. magnetic K7 with 2,5 meter cable bareends, narrow optics, honeycombes, o-rings, and angle bracket.	405,00
8107	K7 Twist 3000K (White Housing) CRI +95 Box contains 6 pcs. magnetic K7 with 2,5 meter cable bareends, narrow optics, honeycombes, o-rings, and angle bracket.	405,00
8108	K7 Twist 4000K (White Housing) CRI +95 Box contains 6 pcs. magnetic K7 with 2,5 meter cable bareends, narrow optics, honeycombes, o-rings, and angle bracket.	405,00
<b>K7 Accessories</b>		
8005	K7 - Lens Frosted Narrow box w/ 48 pieces. (this lens is always included when buying K7)	122,00
8006	K7 - Lens Frosted Medium box w/ 48 pcs	122,00
8007	K7 - Lens Frosted Wide box w/48 pcs.	122,00
8008	K7 - Lens Elliptical assymetric box w/48pcs.	122,00
8002	K7 - 6 Way Distribution PCB	15,00
8128	K7 Wago 2 pole plugable terminal block. Comes in box with 100 pcs.	80,00
<b>K7 Drivers: DALI or 0-10V Control</b>		
8121	MW Driver LCM 40_0 TO 10 VOLT CONTROL for Pipeline raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	54,00
8122	MW Driver LCM 40_DA for Pipeline raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	62,00
8126	MW Driver LCM 25, 25 watts, 0-10 VOLT or potmeter dimming for Pipeline Raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	40,00
8127	MW Driver LCM 25_DA, 25 Watts, DALI or pushbutton dimming for Pipeline Raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	48,00
8123	LCM 40 DRIVER syncable 0,5 meters	7,25
8124	LCM 40 DRIVER syncable 3,0 meters	15,00
8125	LK press switch for dimming control. 230 volts with wall base	29,00
<b>K7 DMX Dimmers</b>		
3602	DMX 2 CC 6 channel dmx driver for K7. Up to 48 K7s connects to this din rail mounted dimmer	798,00
3603	DMX 2CC 12 channel dmx driver for K7. Up to 96 K7s connects to this din rail mounted dimmer	1 262,00



# eclalux

REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>Area 48 Kits</b>		
2038K	AREA 48 Studio Kit (black), Curved yoke, Detachable Barndoors - Incl. 48 volt PSU mounted on unit, locking IEC, TVMP and chroma blue media	1 560,00
2044K	AREA 48 Soft Kit (black), Curved yoke, Detachable barndoors - incl. 20V PSU mounted on unit, locking IEC, TVMP and chroma blue media	1 560,00
<b>Area 48 Fixtures Only</b>		
2038	AREA 48 Studio (black), Curved yoke, Detachable barndoors	1 395,00
2044	AREA 48 Soft (black), Curved yoke, Detachable barndoors	1 395,00
<b>Area 48 Phosphor medias</b>		
2046	Area 48 Media 2700K - High TLCI	300,00
2052	Area 48 Media 3200K - High TLCI	245,00
2047	Area 48 Media 4300K - High TLCI	245,00
2053	Area 48 Media 5600K - High TLCI	185,00
2048	Area 48 Media 6500K - High TLCI	185,00
2022	Area 48 Media 10.000K - High TLCI	244,00
2049	Area 48 Media Chroma Green	367,00
2069	Area 48 Media Chroma Blue Diffuser	35,00
2064	Area 48 Media pouch, stores 6 medias	31,00
<b>Area 48 Accessories (Soft only: # 2032 and 2044)</b>		
2056	Area 48 Soft V-Lock Battery adaptor plate (incl. strap) - Blueshape	197,00
2063	Area 48 Soft Bauer Battery adaptor plate (incl. strap) - Blueshape	202,00
2096	Area 48 Remote - incl. 5 meter (15 feet) cable 4 pin xlr extension 2,5 mm2 and data	240,00
2100	Area 48 and Flyer Remote cable xlr 4 pin 2.5 mm2 - 5 meter	100,00
2051	Area 48 Soft and Flyer PSU - 20V	115,00
2062	Area 48 PSU - Dual Mount Holders	35,00
<b>Area 48 Accessories (Studio only: # 2033 and 2038)</b>		
2054	Area 48 Studio PSU - 48 volts 160 watts	115,00
<b>Area 48 Accessories: beam control (single unit)</b>		
2057	Area 48 DoP SnapGrid 40 degree, mounts directly on unit	199,00
2060	Area 48 DoP Snapbag, mounts directly on barndoors	289,00
2089	Area 48 DoP Snapbag Versa, mounts without barndoors on the unit	335,00
2061	Area 48 DoP Snapgrid XS, mounts on snapbag	252,00
2045	Area 48 DoP Diffuser for snapbag and versa snapbag, sparepart	29,00
2023	Area 48 DoP Octa Snapbag 3 foot - incl. speedring	750,00
2055	Area 48 DoP Octa Snapgrid 3 foot, mounts on snapbag	626,00
2020	Area 48 DoP Octa Snapbag 5 foot - incl. speedring	960,00
2021	Area 48 DoP Octa Snapgrid 5 foot, mounts on snapbag	1 105,00
2110	Area 48 Metal honeycombe frame, screw mount - no barndoors possible (special order only)	221,00
4005	Area 48 DoP Snapgrid XS, Special 1-way	261,00



# eclalux

REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
	<b>Area 48 Accessories: beam control (9 units)</b>	
2107	Area 48 DoP Snapbag 8x8 feet, textile part and diffusor only	2 396,00
	<b>Area 48 Accessories (2x2 units)</b>	
2090	Area 48 2x2 yoke, with 28 mm. spigot and locking handle	625,00
2091	Area 48 DoP Snapbag 4x4 foot (for 2x2 Area), mount including diffusor, fiberpoles and brackets	660,00
2092	Area 48 DoP Snapgrid 50° 4x4ft for Frost frames	370,00
3546	Area 48 DoP Snapgrid 4x4 foot for 4 foot softbox	850,00
2108	Manfrotto 620-10 28 mm spigot with m 10 thread	29,00
	<b>Area 48 Accessories: carrying bags</b>	
2058	Area 48 Cordura Carrying Bag - 1 unit	217,00
2059	Area 48 Cordura Carrying Bag - 2 unit	280,00
	<b>Area 48 Accessories: other</b>	
2042	Area 48 Detachable Barndoors - upgrade kit incl. screws and nuts	95,00
2043	Area 48 Detachable barndoors	126,00
2066	Area 48 Manfrotto 212-0222 Special adaptor female TVMP	18,00
2067	Area 48 Yoke (black), Straight	24,00
2085	Area 48 Yoke (black), Curved	35,00
2095	Area 48 & Pipeline PSU Net holster	5,00
2109	Area 48 Poleop yoke (special order only)	525,00
3601	Area 48 Dual yoke	195,00
2082	IEC locking PSU power cable, 2 m. (open end)	12,00
2083	IEC locking PSU power cable, 2 m. (Schuko)	12,00
2084	IEC locking PSU power cable, 2 m. (US)	12,00
3201	Software uploader	410,00



# eclalux

REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>Pipeline Reporter Kits</b>		
3501	PIPELINE REPORTER Kit 3200 K, incl. 2 1-foot tubes, 2 stands, 2 extenders, 2 dimmers, split cable dc 2.1 2 meter, PSU 25W, world adaptors and hard case	699,00
3502	PIPELINE REPORTER Kit 4300 K, incl. 2 1-foot tubes, 2 stands, 2 extenders, 2 dimmers, split cable dc 2.1 2 meter, PSU 25W, world adaptors and hard case	699,00
3503	PIPELINE REPORTER Kit 5600 K, incl. 2 1-foot tubes, 2 stands, 2 extenders, 2 dimmers, split cable dc 2.1 2 meter, PSU 25W, world adaptors and hard case	699,00
<b>Pipeline Free Kits: 4 &amp; 8 inch</b>		
3741K	PIPELINE FREE Kit, 4 Inches 5600K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3742K	PIPELINE FREE Kit, 4 Inches 4300K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3743K	PIPELINE FREE Kit, 4 Inches 3200K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3744K	PIPELINE FREE Kit, 8 Inches 5600K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3745K	PIPELINE FREE Kit, 8 Inches 4300K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3746K	PIPELINE FREE Kit, 8 Inches 3200K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
<b>Pipeline Free Kits: 1 foot</b>		
3523K	PIPELINE FREE Kit, 1-Foot 3200K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3524K	PIPELINE FREE Kit, 1-Foot 4300K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00
3525K	PIPELINE FREE Kit, 1-Foot 5600K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with countering, 16 mm. spigot terminates in 3/8 male thread	266,00



REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>Pipeline Free Kits: 2-foot</b>		
3526K	PIPELINE FREE Kit, 2-Foot 3200K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	325,00
3527K	PIPELINE FREE Kit, 2-Foot 4300K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	325,00
3528K	PIPELINE FREE Kit, 2-Foot 5600K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	325,00
<b>Pipeline Free Kits: 3-foot</b>		
3747K	PIPELINE FREE Kit, 3-Foot 3200K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	365,00
3748K	PIPELINE FREE Kit, 3-Foot 4300K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	365,00
3749K	PIPELINE FREE Kit, 3-Foot 5600K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	365,00
<b>Pipeline Free Kits: 4-foot</b>		
3750K	PIPELINE FREE Kit, 4-Foot 3200K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	399,00
3751K	PIPELINE FREE Kit, 4-Foot 4300K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	399,00
3752K	PIPELINE FREE Kit, 4-Foot 5600K - incl. manual inline dimmer with 2 meter cable, 25 watt PSU with world adaptors, 50 mm (2 inch) long coldshoe adaptor with counterering, 16 mm. spigot terminates in 3/8 male thread	399,00
<b>Pipeline Reporter &amp; Free Accessories</b>		
3594	Pipeline Reporter & Free PSU 15V, incl. 4 world adaptors	26,75
3595	Pipeline Reporter & Free DC 2.1 splitcable	12,00
3597	Pipeline 4 pin xlr male to DC 2.1 female, 1 meter	26,00
3598	Pipeline D-Tap male to DC 2.1 female	62,50
3599	Pipeline Reporter AA Battery pack, runs 1 x 1 foot tube	16,00
3401	Pipeline Coldshoe 50mm (2 inch) long coldshoe adaptor with counterering, 16 mill. spigot terminates in 3/8 male thread	20,00
9001	Pipeline Manfrotto pixie stand	56,00



# eclalux

REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>Pipeline 4-Bank Kits</b>		
3529K	PIPELINE 4-BANK 3-Foot Kit, 3200K - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 735,00
3530K	PIPELINE 4-BANK 3-Foot Kit, 4300K - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 735,00
3531K	PIPELINE 4-BANK 3-Foot Kit, 5600K - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 735,00
3532K	PIPELINE 4-BANK 3-Foot Kit, 3200/5600K tweaking - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 735,00
3533K	PIPELINE 4-BANK 4-Foot Kit, 3200K - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 899,00
3534K	PIPELINE 4-BANK 4-Foot Kit, 4300K - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 899,00
3535K	PIPELINE 4-BANK 4-Foot Kit, 5600K - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 899,00
3536K	PIPELINE 4-BANK 4-Foot Kit, 3200/5600K tweaking - incl. 48V PSU, PSU mount plate, ballhead mounting clamp, locking IEC cable and polymer black honeycomb	1 899,00
<b>Pipeline 4-Bank Accessories: beam control</b>		
3580	Pipeline 4-Bank 3-Foot DoP Snapgrid 40 degrees, mounts directly on unit	320,00
3581	Pipeline 4-Bank 3-Foot DoP Snapgrid 40 degrees, mounts on snapbag	350,00
3582	Pipeline 4-Bank 4-Foot DoP Snapgrid 40 degrees, mounts directly on unit	420,00
3583	Pipeline 4-Bank 4-Foot DoP Snapgrid 40 degrees, mounts on snapbag	450,00
3584	Pipeline 4-Bank 3-Foot DoP Snapbag, mounts directly on unit	350,00
3587	Pipeline 4-Bank 4-Foot DoP Snapbag, mounts directly on unit	450,00
<b>Pipeline 4-Bank Accessories: carrying bags</b>		
3715	Softbag double Cordura semihard for 2 Pipeline 4-Bank 3-Foot	345,00
3716	Softbag double Cordura semihard for 2 Pipeline 4-Bank 4-Foot	366,00
<b>Pipeline 4-bank Accessories: other</b>		
3560	Pipeline 4-Bank 9Solutions Ball mount clamp	127,50
3561	Pipeline 4-Bank PSU 220W 48V	127,00
3570	Pipeline 4-Bank 3-Foot Honeycombe polymer black	50,00
3571	Pipeline 4-Bank 4-Foot Honeycombe polymer black	56,00
3572	Pipeline 4-Bank 3-Foot Barndoor, set of 2	98,00
3573	Pipeline 4-Bank 4-Foot Barndoor, set of 2	115,00
2082	IEC locking PSU power cable 2 m. (open end)	12,00
2083	IEC locking PSU power cable 2 m. (Schuko)	12,00
2084	IEC locking PSU power cable 2 m. (US)	12,00
3201	Software uploader	410,00
6400	Quick mount	13,00
6401	Quick mount receiver	16,00



REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
	<b>Pipeline Raw Tubes</b>	
3511	PIPELINE RAW 1-Foot 3200K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	910,00
3512	PIPELINE RAW 1-Foot 4300K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	910,00
3513	PIPELINE RAW 1-Foot 5600K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	910,00
3514	PIPELINE RAW 2-Foot 3200K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	1 250,00
3515	PIPELINE RAW 2-Foot 4300K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	1 250,00
3516	PIPELINE RAW 2-Foot 5600K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	1 250,00
3517	PIPELINE RAW 3-Foot 3200K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	1 750,00
3518	PIPELINE RAW 3-Foot 4300K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	1 750,00
3519	PIPELINE RAW 3-Foot 5600K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	1 750,00
3520	PIPELINE RAW 4-Foot 3200K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	2 250,00
3521	PIPELINE RAW 4-Foot 4300K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	2 250,00
3522	PIPELINE RAW 4-Foot 5600K, Box of 10 units - incl. xlr 3-pin male connector mounted on outgoing 3 m (10 feet) black cable	2 250,00
	<b>Pipeline Raw Banks</b>	
3555	PIPELINE RAW 4-Bank 1-Foot 3200K w. 3-Pin xlr	465,00
3556	PIPELINE RAW 4-Bank 1-Foot 4300K w. 3-Pin xlr	465,00
3557	PIPELINE RAW 4-Bank 1-Foot 5600K w. 3-Pin xlr	465,00
3551	PIPELINE RAW 2-Bank 2-Foot 3200K w. 3-Pin xlr	465,00
3552	PIPELINE RAW 2-Bank 2-Foot 4300K w. 3-Pin xlr	465,00
3553	PIPELINE RAW 2-Bank 2-Foot 5600K w. 3-Pin xlr	465,00
	<b>Pipeline Raw Accessories: carrying bags</b>	
3711	Softbag Cordura semihard for Pipeline 1-Foot tubes	207,00
3712	Softbag Cordura semihard for Pipeline 2-Foot tubes	231,00
3713	Softbag Cordura semihard for Pipeline 3-Foot tubes	250,00
3714	Softbag Cordura semihard for Pipeline 3-Foot tubes	284,00



# eclalux

REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
	<b>Pipeline Raw Accessories: Other</b>	
270-06	Pipeline 4-Bank 1-Foot Yoke	38,00
270-05	Pipeline 2-Bank 2-Foot Yoke	38,00
3593	Pipeline 4-Way Controller. Controls up to 4 Pipeline Raw 1, 2, 3 or 4 foot tubes individually 8 or 16 bit XLR. Onboard manual or dmx controlled. Selectable tube length for each output. Includes PSU and IEC cable (Schuko)	665,00
3401	Pipeline Coldshoe 50mm (2 inch) long coldshoe adaptor with counterering, 16 mill. spigot terminates in 3/8 male thread	20,00
6403	9Solution Quick Mount Angle Joint	28,00
6406	9Solutions Savior clamp mini	35,00
8121	MW Driver LCM 40_0 TO 10 VOLT CONTROL for Pipeline raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	54,00
8122	MW Driver LCM 40_DA for Pipeline raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	62,00
8126	MW Driver LCM 25, 25 watts, 0-10 VOLT or potmeter dimming for Pipeline Raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	40,00
8127	MW Driver LCM 25_DA, 25 Watts, DALI or pushbutton dimming for Pipeline Raw or K7. 350-1050 Ma and 2-40 volts out. 180 to 295 volts ac in.	48,00
8123	LCM 40 DRIVER syncable 0,5 meters	7,25
8124	LCM 40 DRIVER syncable 3,0 meters	8,05
8125	LK press switch for dimming control. 230 volts with wall base	29,00
	<b>Complete kits</b>	
2120K	FLYER Lighting Kit V-Lock (extended) - incl. lamp head, remote control, 5 meter cable, V-Lock beltack, Flyball 1, zipskirt 4 sides, quick mount, PSU, locking IEC, safety wire and hardcase	2 516,00
2127K	FLYER Lighting Kit Bauer (extended) - incl. lamp head, remote control, 5 meter cable, Bauer beltack, Flyball 1, zipskirt 4 sides, quick mount, PSU, locking IEC, safety wire and hardcase.	2 516,00





# eclalux

REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>Flyer Components &amp; Accessories</b>		
2111	Flyer LED lamp head	1 395,00
2112	Flyer Remote Control	321,00
3721	Flyer power/dmx operation splitbox	160,00
2115	Flyer Hardcase w/foam	198,00
2121	Flyer Speedlite clamp (discontinued: order # 6402 + 6403 instead)	-
2125	Flyer Battery belt pack, Bauer	241,00
2094	Flyer Battery belt pack, V-Lock	241,00
2051	Area 48 Soft and Flyer PSU - 20V	115,00
<b>Flyer Accessories: beam control</b>		
2114	Flyer DoP Flyball 1 with 1/2 grid cloth	292,00
2131	Flyer DoP Cover for Flyball 1, 4-sides zip skirt	125,00
2126	Flyer DoP Flyball XL with 1/2 grid cloth	320,00
2132	Flyer DoP Cover for Flyball XL, 4-sides zip skirt	137,00
2117	Flyer DoP Snapbag Versa, with diffusor	315,00
<b>Flyer Accessories: other</b>		
2118	Flyer Ktec Carbon fiber pole KT 123	699,00
2122	FLYER Manfrotto TVMP with 1/4 20 thread	21,00
2134	Flyer Ktec Boompole cradle K-BC	330,00
2150	FLYER Safety Wire 27	11,00
2151	FLYER Jam Nut 3/8 brass	5,00
2153	Velcro pad 19	0,75
2152	BBS Strap Arno buckle type, 70 cm long	5,00
2082	IEC locking PSU power cable 2 m. (open end)	12,00
2083	IEC locking PSU power cable 2 m. (Schuko)	12,00
2084	IEC locking PSU power cable 2 m. (US)	12,00
2100	Area 48 and Flyer Remote cable xlr 4 pin 2.5 mm2 - 5 meter	100,00
6400	Quick mount	13,00
6402	3/8"-16 Thread-on Quick Mount Receiver	9,00
6403	Quick Mount Angle Joint	32,00



REFERENCE	DESCRIPTION	PRIX TARIF EURO H.T.
<b>Force V Engines: LED backpart for ellipsoidal and zoom optics</b>		
5006	FORCE V Vero 5600K CRI 90+	1 365,00
5007	FORCE V Vero 3200K CRI 90+	1 365,00
5011	Force V ETC 25/50 degree zoom	585,00
5012	Force V ETC 15/30 degree zoom	585,00
<b>Ledonardo: LED retrofit kits for Desisti Leonardo 311 &amp; 321 fresnels</b>		
4001	LEDONARDO 1 3200K retrofit kit	1 208,00
4002	LEDONARDO 1 5600K retrofit kit	1 208,00
4003	LEDONARDO 2 3200K retrofit kit	1 260,00
4004	LEDONARDO 2 5600K retrofit kit	1 260,00
<b>Aledin AR: LED rebuild kit for ARRI ST 1 fresnels</b>		
7001	ALEDIN AR 3200 K Rebuild to led kit for Arri ST1	1 260,00
7003	ALEDIN AR 5600 K Rebuild LED kit for Arri ST1	1 260,00
<b>Shared accessories</b>		
9991	Powercon cable 2 m. (open end)	40,00
9062	Powercon cable 2 m. (US)	40,00
9063	Powercon cable 2 m. (extension)	40,00
3201	Software uploader	410,00
<b>Ledheimer reflector par light</b>		
2013	LEDHEIMER 2 3200K (Black), CRI 90+ - incl. 15, 25 & 40 degree reflectors	999,00
2014	LEDHEIMER 2 5600K (Black), CRI 90+ - incl. 15, 25 & 40 degree reflectors.	999,00
2011	LEDHEIMER 2 3200K (White), CRI 90+ - incl. 15, 25 & 40 degree reflectors. Special orders only	1 155,00
2012	LEDHEIMER 2 5600K (White), CRI 90+ - incl. 15, 25 & 40 degree reflectors. Special orders only	1 155,00
<b>Ledheimer Accessories</b>		
2015	Ledheimer Aluminium reflectorkit, 15, 25 & 40 degree (3 reflectors)	87,50
2007	Ledheimer Barndoors (Black)	71,00
2008	Ledheimer Colour filter frame (Black)	9,00
2009	Ledheimer Tophat for beam control	38,00
2010	Ledheimer Barndoors (White). Special orders only	71,00
9991	Powercon cable 2 m. (open end)	40,00
9062	Powercon cable 2 m. (US)	40,00
9063	Powercon cable 2 m. (extension)	40,00
3201	Software uploader	410,00
2079	Blueshape battery charger: CVS8X	1 806,00
2080	Blueshape battery charger: CVS8XW	3 360,00
2160	Blueshape powerstation: PWS2, 14/28 volts for 2 batteries	1 373,00
2161	Blueshape powerstation: PWS4-48V	2 783,00
2162	Blueshape battery pack: BV100HD - SPLASH	453,00
2163	Blueshape battery pack: BV190HD - SPLASH	775,00
2164	Blueshape battery pack: BV270HD - SPLASH	933,00
3301	Blueshape PWCAR in car DC-DC adapter. For CVTR1 and CVTR 2 chargers	70,00
3302	Blueshape BSMON v3 battery analyzer system	933,00
3303	Blueshape CCPACK	57,00
3304	Blueshape 4-Way IATA shipping case (under development)	299,00
3701	Sticky Battery ST-38 14.4V 38W w. dual D-tap (powers Pipeline Free 1-2 Foot tubes)	142,00
3702	Sticky Battery ST-75 14.4V 75W w. dual D-tap (powers Pipeline Free 1-4 Foot tubes)	218,00
3703	Sticky Battery charger ST-1C	94,00
3704	Sticky Battery dual charger ST-2C	144,00
9995	Blueshape PWS4-14/28V	2 050,00